



ORTHON LARGE SCREW SET

4.5MM CORTEX SCREWS

| | |
|---------|------|
| LSS-001 | 14MM |
| LSS-002 | 16MM |
| LSS-003 | 18MM |
| LSS-004 | 20MM |
| LSS-005 | 22MM |
| LSS-006 | 24MM |
| LSS-007 | 26MM |
| LSS-008 | 28MM |
| LSS-009 | 30MM |
| LSS-010 | 32MM |
| LSS-011 | 34MM |
| LSS-012 | 36MM |
| LSS-013 | 38MM |

Red Stone GROUPS

PROFILE

| | |
|------------------------|-------|
| HEAD DIAMETER | 8.0MM |
| HEXAGONAL SOCKET WIDTH | 3.5MM |
| THREAD DIAMETER | 4.5MM |
| CORE DIAMETER | 3.0MM |
| DRILL BIT | 3.2MM |
| TAP | 4.5MM |

PAKISTAN

| | |
|---------|-------|
| LSS-014 | 40MM |
| LSS-015 | 42MM |
| LSS-016 | 44MM |
| LSS-017 | 46MM |
| LSS-018 | 48MM |
| LSS-019 | 50MM |
| LSS-020 | 52MM |
| LSS-021 | 54MM |
| LSS-022 | 56MM |
| LSS-023 | 58MM |
| LSS-024 | 60MM |
| LSS-025 | 62MM |
| LSS-026 | 64MM |
| LSS-027 | 66MM |
| LSS-028 | 68MM |
| LSS-029 | 70MM |
| LSS-030 | 72MM |
| LSS-031 | 74MM |
| LSS-032 | 76MM |
| LSS-033 | 78MM |
| LSS-034 | 80MM |
| LSS-035 | 82MM |
| LSS-036 | 84MM |
| LSS-037 | 86MM |
| LSS-038 | 88MM |
| LSS-039 | 90MM |
| LSS-040 | 95MM |
| LSS-041 | 100MM |
| LSS-042 | 105MM |
| LSS-043 | 110MM |
| LSS-044 | 115MM |
| LSS-045 | 120MM |

**IN TITANIUM LSS-201 TO LSS-245
4.5MM MALLEOLAR SCREW**

| | |
|---------|------|
| LSS-101 | 25MM |
| LSS-102 | 30MM |
| LSS-103 | 35MM |
| LSS-104 | 40MM |
| LSS-105 | 45MM |



| PROFILE | |
|------------------------|-------|
| HEAD DIAMETER | 8.0MM |
| HEXAGONAL SOCKET WIDTH | 3.5MM |
| THREAD DIAMETER | 4.5MM |
| CORE DIAMETER | 3.0MM |
| DRILL BIT | 3.2MM |

PAKISTAN

| | |
|---------|------|
| LSS-106 | 50MM |
| LSS-107 | 55MM |
| LSS-108 | 60MM |
| LSS-109 | 65MM |
| LSS-110 | 70MM |

IN TITANIUM FROM LSS-301 TO LSS-310

4.5MM CORTEX SCREWS SELF TAPPING

| | |
|---------|------|
| LSS-401 | 14MM |
| LSS-402 | 16MM |
| LSS-403 | 18MM |
| LSS-404 | 20MM |
| LSS-405 | 22MM |
| LSS-406 | 24MM |
| LSS-407 | 26MM |
| LSS-408 | 28MM |
| LSS-409 | 30MM |
| LSS-410 | 32MM |
| LSS-411 | 34MM |
| LSS-412 | 36MM |
| LSS-413 | 38MM |
| LSS-414 | 40MM |
| LSS-415 | 42MM |
| LSS-416 | 44MM |
| LSS-417 | 46MM |
| LSS-418 | 48MM |
| LSS-419 | 50MM |
| LSS-420 | 52MM |
| LSS-421 | 54MM |
| LSS-422 | 56MM |
| LSS-423 | 58MM |
| LSS-424 | 60MM |
| LSS-425 | 62MM |
| LSS-426 | 64MM |
| LSS-427 | 66MM |
| LSS-428 | 68MM |
| LSS-429 | 70MM |



| | |
|------------------|-------|
| PAKISTAN LSS-430 | 72MM |
| LSS-431 | 74MM |
| LSS-432 | 76MM |
| LSS-433 | 78MM |
| LSS-434 | 80MM |
| LSS-435 | 82MM |
| LSS-436 | 84MM |
| LSS-437 | 86MM |
| LSS-438 | 88MM |
| LSS-439 | 90MM |
| LSS-440 | 95MM |
| LSS-441 | 100MM |
| LSS-442 | 105MM |
| LSS-443 | 110MM |
| LSS-444 | 115MM |
| LSS-445 | 120MM |

| PROFILE | |
|------------------------|-------|
| HEAD DIAMETER | 8.0MM |
| HEXAGONAL SOCKET WIDTH | 3.5MM |
| THREAD DIAMETER | 4.5MM |
| CORE DIAMETER | 3.0MM |
| DRILL BIT | 3.2MM |

IN TITANIUM LSS-501 TO LSS-545

6.5MM CANCELLOUS SCREW 16MM THREADS

| | | | | | |
|---------|-------|---------|-------|---------------------------------|-------|
| LSS-601 | 25MM | LSS-602 | 30MM | LSS-603 | 35MM |
| LSS-604 | 40MM | LSS-605 | 45MM | LSS-606 | 50MM |
| LSS-607 | 55MM | LSS-608 | 60MM | LSS-609 | 65MM |
| LSS-610 | 70MM | LSS-611 | 75MM | LSS-612 | 80MM |
| LSS-613 | 85MM | LSS-614 | 90MM | LSS-615 | 95MM |
| LSS-616 | 100MM | LSS-617 | 105MM | LSS-618 | 110MM |
| LSS-619 | 115MM | LSS-620 | 120MM | IN TITANIUM FROM LSS-701 | |



| PROFILE | |
|------------------------|-------|
| HEAD DIAMETER | 8.0MM |
| HEXAGONAL SOCKET WIDTH | 3.5MM |
| SHAFT DIAMETER | 4.5MM |
| THREAD DIAMETER | 6.5MM |
| CORE DIAMETER | 3.0MM |
| THREAD LENGTH | 16MM |
| DRILL BIT | 3.2MM |
| TAP | 6.5MM |

PAKISTAN

6.5MM CANCELLOUS SCREW 32MM THREADS

| | | | |
|---------------|---------------|---|---------------|
| LSS-801 | 25MM LSS-802 | 30MM LSS-803 | 35MM LSS-804 |
| 40MM LSS-805 | 45MM LSS-806 | 50MM LSS-807 | 55MM |
| LSS-808 | 60MM LSS-809 | 65MM LSS-810 | 70MM LSS-811 |
| 75MM LSS-812 | 80MM LSS-813 | 85MM LSS-814 | 90MM |
| LSS-815 | 95MM LSS-816 | 100MM LSS-817 | 105MM LSS-818 |
| 110MM LSS-819 | 115MM LSS-820 | 120MM IN TITANIUM LSS-901 TO LSS-920 | |

6.5MM CANCELLOUS SCREW FULL THREAD

| | |
|----------|---------------|
| LSS-1001 | 25MM LSS-1002 |
| | 30MM LSS-1003 |
| | 35MM LSS-1004 |
| | 40MM LSS-1005 |
| | 45MM LSS-1006 |
| | 50MM LSS-1007 |
| | 55MM LSS-1008 |
| | 60MM LSS-1009 |
| | 65MM LSS-1010 |
| | 70MM LSS-1011 |
| | 75MM LSS-1012 |
| | 80MM LSS-1013 |
| | 85MM LSS-1014 |
| | 90MM LSS-1015 |
| | 95MM |



| PROFILE | |
|------------------------|-------|
| HEAD DIAMETER | 8.0MM |
| HEXAGONAL SOCKET WIDTH | 3.5MM |
| SHAFT DIAMETER | 4.5MM |
| THREAD DIAMETER | 6.5MM |
| CORE DIAMETER | 3.0MM |
| THREAD LENGTH | 32MM |
| DRILLBIT | 3.2MM |
| TAP | 6.5MM |



| PROFILE | |
|------------------------|-------|
| HEAD DIAMETER | 8.0MM |
| HEXAGONAL SOCKET WIDTH | 3.5MM |
| THREAD DIAMETER | 6.5MM |
| DRILL BIT | 3.2MM |
| TAP | 6.5MM |

PAKISTAN

| | |
|----------|-------|
| LSS-1016 | 100MM |
| LSS-1017 | 105MM |
| LSS-1018 | 110MM |
| LSS-1019 | 115MM |
| LSS-1020 | 120MM |

IN TITANIUM LSS-1101 TO LSS-1120

LARGE WASHER 13 MM DIAMETERS

LSS-1201



SCREW HOLDING FORCEPS
LSS-1202



LOCKING SCREWS

5.0MM Ø SELF TAPPING

| | |
|----------|------|
| LSS-001A | 14MM |
| LSS-002A | 16MM |
| LSS-003A | 18MM |
| LSS-004A | 20MM |
| LSS-005A | 22MM |
| LSS-006A | 24MM |
| LSS-007A | 26MM |
| LSS-008A | 28MM |
| LSS-009A | 30MM |
| LSS-010A | 32MM |
| LSS-011A | 34MM |
| LSS-012A | 36MM |
| LSS-013A | 38MM |
| LSS-014A | 40MM |
| LSS-015A | 42MM |
| LSS-016A | 44MM |
| LSS-017A | 46MM |
| LSS-018A | 48MM |
| LSS-019A | 50MM |
| LSS-020A | 52MM |
| LSS-021A | 54MM |
| LSS-022A | 56MM |
| LSS-023A | 58MM |
| LSS-024A | 60MM |
| LSS-025A | 62MM |
| LSS-026A | 64MM |
| LSS-027A | 66MM |
| LSS-028A | 68MM |
| LSS-029A | 70MM |
| LSS-030A | 72MM |
| LSS-031A | 74MM |
| LSS-032A | 76MM |
| LSS-033A | 78MM |
| LSS-034A | 80MM |
| LSS-035A | 82MM |
| LSS-036A | 84MM |

| | |
|-------------------------------|--------------|
| <i>PROFILE</i> | |
| <i>HEAD DIAMETER</i> | <i>6.6MM</i> |
| <i>HEXAGONAL SOCKET WIDTH</i> | <i>3.5MM</i> |
| <i>THREAD DIAMETER</i> | <i>5.0MM</i> |
| <i>CORE DIAMETER</i> | <i>4.4MM</i> |
| <i>DRILL BIT</i> | <i>3.2MM</i> |
| <i>TAP</i> | <i>4.5MM</i> |



| | |
|-----------|------|
| LSS-037 A | 86MM |
| LSS-038 A | 88MM |
| LSS-039 A | 90MM |

IN TITANIUM LSS-101A TO LSS-139A

LOCKING SCREW STARDRIVE Ø 5.0 SELF TAPPING

| | |
|-----------|------|
| LSS-001B | 14MM |
| LSS-002 B | 16MM |
| LSS-003 B | 18MM |
| LSS-004 B | 20MM |
| LSS-005 B | 22MM |
| LSS-006 B | 24MM |
| LSS-007 B | 26MM |
| LSS-008 B | 28MM |
| LSS-009 B | 30MM |
| LSS-010 B | 32MM |
| LSS-011 B | 34MM |
| LSS-012 B | 36MM |
| LSS-013 B | 38MM |
| LSS-014 B | 40MM |
| LSS-015 B | 42MM |
| LSS-016 B | 44MM |
| LSS-017 B | 46MM |
| LSS-018 B | 48MM |
| LSS-019 B | 50MM |
| LSS-020 B | 52MM |
| LSS-021 B | 54MM |
| LSS-022 B | 56MM |
| LSS-023 B | 58MM |
| LSS-024 B | 60MM |
| LSS-025 B | 62MM |
| LSS-026 B | 64MM |
| LSS-027 B | 66MM |
| LSS-028 B | 68MM |
| LSS-029 B | 70MM |
| LSS-030 B | 72MM |
| LSS-031 B | 74MM |
| LSS-032 B | 76MM |
| LSS-033 B | 78MM |
| LSS-034 B | 80MM |

PROFILE

| | |
|-------------------------------|--------------|
| <i>HEAD DIAMETER</i> | <i>6.6MM</i> |
| <i>HEXAGONAL SOCKET WIDTH</i> | <i>3.5MM</i> |
| <i>THREAD DIAMETER</i> | <i>5.0MM</i> |
| <i>CORE DIAMETER</i> | <i>4.4MM</i> |
| <i>DRILL BIT</i> | <i>3.2MM</i> |
| <i>TAP</i> | <i>4.5MM</i> |



| | |
|-----------|------|
| LSS-035 B | 82MM |
| LSS-036 B | 84MM |
| LSS-037 B | 86MM |
| LSS-038 B | 88MM |
| LSS-039 B | 90MM |


IN TITANIUM LSS-101B TO LSS-139B

LOCKING SCREW Ø 5.0 WELF DRILLING

| | |
|-----------|------|
| LSS-001B | 14MM |
| LSS-002 B | 16MM |
| LSS-003 B | 18MM |
| LSS-004 B | 20MM |
| LSS-005 B | 22MM |
| LSS-006 B | 24MM |
| LSS-007 B | 26MM |
| LSS-008 B | 28MM |
| LSS-009 B | 30MM |
| LSS-010 B | 32MM |
| LSS-011 B | 34MM |
| LSS-012 B | 36MM |
| LSS-013 B | 38MM |
| LSS-014 B | 40MM |
| LSS-015 B | 42MM |
| LSS-016 B | 44MM |
| LSS-017 B | 46MM |
| LSS-018 B | 48MM |
| LSS-019 B | 50MM |
| LSS-020 B | 52MM |
| LSS-021 B | 54MM |
| LSS-022 B | 56MM |
| LSS-023 B | 58MM |
| LSS-024 B | 60MM |
| LSS-025 B | 62MM |
| LSS-026 B | 64MM |
| LSS-027 B | 66MM |
| LSS-028 B | 68MM |
| LSS-029 B | 70MM |
| LSS-030 B | 72MM |
| LSS-031 B | 74MM |

PROFILE

| | |
|-------------------------------|--------------|
| <i>HEAD DIAMETER</i> | <i>6.6MM</i> |
| <i>HEXAGONAL SOCKET WIDTH</i> | <i>3.5MM</i> |
| <i>THREAD DIAMETER</i> | <i>5.0MM</i> |
| <i>CORE DIAMETER</i> | <i>4.4MM</i> |
| <i>DRILL BIT</i> | <i>3.2MM</i> |
| <i>TAP</i> | <i>4.5MM</i> |



Red Stone®
GROUPS



| | |
|-----------|------|
| LSS-032 B | 76MM |
| LSS-033 B | 78MM |
| LSS-034 B | 80MM |

IN TITANIUM LSS-101B TO LSS-134B

LOCKING SCREW STARDRIVE Ø 5.0 SELF DRILLING

| | |
|-----------|------|
| LSS-001C | 14MM |
| LSS-002 C | 16MM |
| LSS-003 C | 18MM |
| LSS-004 C | 20MM |
| LSS-005 C | 22MM |
| LSS-006 C | 24MM |
| LSS-007 C | 26MM |
| LSS-008 C | 28MM |
| LSS-009 C | 30MM |
| LSS-010 C | 32MM |
| LSS-011 C | 34MM |
| LSS-012 C | 36MM |
| LSS-013 C | 38MM |
| LSS-014 C | 40MM |
| LSS-015 C | 42MM |
| LSS-016 C | 44MM |
| LSS-017 C | 46MM |
| LSS-018 C | 48MM |
| LSS-019 C | 50MM |
| LSS-020 C | 52MM |
| LSS-021 C | 54MM |
| LSS-022 C | 56MM |
| LSS-023 C | 58MM |
| LSS-024 C | 60MM |
| LSS-025 C | 62MM |
| LSS-026 C | 64MM |
| LSS-027 C | 66MM |
| LSS-028 C | 68MM |
| LSS-029 C | 70MM |
| LSS-030 C | 72MM |
| LSS-031 C | 74MM |
| LSS-032 C | 76MM |
| LSS-033 C | 78MM |
| LSS-034 C | 80MM |

PROFILE

| | |
|-------------------------------|--------------|
| <i>HEAD DIAMETER</i> | <i>6.6MM</i> |
| <i>HEXAGONAL SOCKET WIDTH</i> | <i>3.5MM</i> |
| <i>THREAD DIAMETER</i> | <i>5.0MM</i> |
| <i>CORE DIAMETER</i> | <i>4.4MM</i> |
| <i>DRILL BIT</i> | <i>3.2MM</i> |
| <i>TAP</i> | <i>4.5MM</i> |



IN TITANIUM LSS-101C TO LSS-134C

PAKISTAN

LOCKING SCREW Ø 5.0 MM SELF TAPPING FOR PERIPROSTHETIC FRACTURES

| CAT NO | LENGTH |
|----------|--------|
| LSS-001P | 8MM |
| LSS-002P | 10MM |
| LSS-003P | 12MM |
| LSS-004P | 14MM |
| LSS-005P | 16MM |
| LSS-006P | 18MM |

IN TITANIUM LSS101P TO LSS-106P



LOCKING SCREW Ø 5.0 MM SELF TAPPING FOR PERIPROSTHETIC FRACTURES ATADRIVE

| CAT NO | LENGTH |
|-----------|--------|
| LSS-001PS | 8MM |
| LSS-002PS | 10MM |
| LSS-003PS | 12MM |
| LSS-004PS | 14MM |
| LSS-005PS | 16MM |
| LSS-006PS | 18MM |

IN TITANIUM LSS-101PS TO LSS-106PS



LCP SPACER Ø 5.0MM SIZE 2MM

| | |
|-----------|----------|
| LSS-001SP | STEEL |
| LSS-101SP | TITANIUM |



SCREW HOLE INSERT Ø 5.0

LSS-001IN



CANNULATED LOCKING SCREW 5.0 Ø MM

| | |
|----------|-------|
| CSL-301A | 30MM |
| CSL-302A | 35MM |
| CSL-303A | 40MM |
| CSL-304A | 45MM |
| CSL-305A | 50MM |
| CSL-306A | 55MM |
| CSL-307A | 60MM |
| CSL-308A | 65MM |
| CSL-309A | 70MM |
| CSL-310A | 75MM |
| CSL-311A | 80MM |
| CSL-312A | 85MM |
| CSL-313A | 90MM |
| CSL-314A | 95MM |
| CSL-315A | 100MM |
| CSL-316A | 105MM |
| CSL-317A | 110MM |
| CSL-318A | 115MM |
| CSL-319A | 120MM |
| CSL-320A | 125MM |
| CSL-321A | 130MM |
| CSL-322A | 135MM |
| CSL-323A | 140MM |
| CSL-324A | 145MM |



IN TITANIUM CSL-301B TO CSL-324B

CANNULATED LOCKING SCREW 7.3Ø MM

| | |
|----------|------|
| CSL-301C | 30MM |
| CSL-302C | 35MM |
| CSL-303C | 40MM |
| CSL-304C | 45MM |
| CSL-305C | 50MM |
| CSL-306C | 55MM |
| CSL-307C | 60MM |
| CSL-308C | 65MM |
| CSL-309C | 70MM |
| CSL-310C | 75MM |
| CSL-311C | 80MM |
| CSL-312C | 85MM |

PAKISTAN

| | |
|----------|-------|
| CSL-313C | 90MM |
| CSL-314C | 95MM |
| CSL-315C | 100MM |
| CSL-316C | 105MM |
| CSL-317C | 110MM |
| CSL-318C | 115MM |
| CSL-319C | 120MM |
| CSL-320C | 125MM |
| CSL-321C | 130MM |
| CSL-322C | 135MM |
| CSL-323C | 140MM |
| CSL-324C | 145MM |



IN TITANIUM CSL-301D TO CSL-324D